



pt range

Oil Free Air Compressors
low noise, high quality

BMBI



Bambi has used our experience in nearly 40 years of manufacturing air compressors to bring you the new PT range of direct drive air compressors. With ultra low noise, from only 54 dB(A) and 100% oil free operation, the PT range delivers a low maintenance solution to ultra-quiet oil free compressed air. Compressors are available in a choice of receiver and pump formats to ensure that the one chosen is perfectly adapted to the application.

Model								
PT5	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	110	4	8	0.55 0.75	230/50	54	17	34 x 40 x 33
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	93	76	71	69	54	51	42	37

Max Duty Cycle = 65%. 110 volt available on request.

PT5

Ideal for Pneumatic Control Systems, Scientific Laboratories, Staple Guns, Picture Framing, Autoclaves, Veterinary Dental Carts, Drink Dispensing, Door Opening, Exhibition Stands – and anywhere low maintenance oil-free air is required.

Model								
PT8	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	110	8	8	0.55 0.75	230/50	54	23	41 x 54 x 36
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	93	76	71	69	54	51	42	37

Max Duty Cycle = 65%. 110 volt available on request.

- minimal maintenance
- no oil level to check
- ultra low noise when running
- compact and ready to use
- made in the UK



PT8

PT has been designed with quality at the forefront – the elegant motor cover is more than just aesthetically pleasing – it provides user protection from the hotter parts of the compressor while ensuring perfect air circulation for optimum performance.

Model								
PT15	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	110	15	8	0.55 0.75	230/50	54	23	53 x 37 x 37
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	93	76	71	69	54	51	42	37

Max Duty Cycle = 65%. 110 volt available on request.



PT15



PT24

Anti-corrosion, internally coated receivers are fitted across the range*, prolonging the life of the receiver and ensuring that the air delivered is contamination free.

All of the PT range runs off a single phase 240v supply and come with a standard 3 pin plug for the UK and Euro plug where requested.

Model								
PT24	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	110	24	8	0.55 0.75	230/50	54	25	57 x 40 x 40
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	93	76	71	69	54	51	42	37

Max Duty Cycle = 65%. 110 volt available on request.

*not model PT5

Fitted with a Condor pressure switch, 10 micron air filter & outlet pressure regulator and stainless steel braided pipework as standard, the PT range is built in Bambi's Birmingham factory to ensure that it exceeds your expectations. Our central base is ideal for distribution across the UK, with next day delivery possible on all models.

Model								
PT50D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	220	50	8	1.1 1.5	230/50	54	44	62 x 88 x 34
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	186	152	142	138	108	102	84	74

Max Duty Cycle = 65%. 110 volt available on request.



PT50D


For an even lower maintenance solution, all of the PT compressors can be fitted with an auto-drain – avoiding the manual draining of condensate in the receiver.



10 Micron Outlet Filter and Adjustable Pressure Regulator



Condor Pressure Switch



Internally Coated Receiver

Every PT compressor is protected by a comprehensive 12 month warranty extending to 5 years on the air receiver.



Global experience truly local service



We serve the following Medical, Industrial and Service sectors.....

Agriculture

Automotive

Aviation

Beveridge

Defence

Dental

Education

Energy

Engineering (Civil + Mechanical + Electrical)

Emergency Services (Police + Fire + Ambulance)

Food

Government

Healthcare

Manufacturing

Medical

Oil + Gas

Renewable Energies

Road + Rail

Science

TV + Film + Arts

Utilities

Waste Services

J&J Air Systems



Avetta

J&J Air Systems, Sands Industrial Estate, High Wycombe, Bucks HP12 4HJ, United Kingdom.

©2019

Customer Service: 0800 027 8442
Telephone: 01494 530291
International: +44 (0)1494 530291
sales@JJAirSystems.co.uk
www.JJAirSystems.co.uk

