



aerospace  
climate control  
electromechanical  
filtration  
fluid & gas handling  
hydraulics  
pneumatics  
process control  
sealing & shielding



# *J&J Air Systems*



## **FCDE Transportation Overview**

Truck, Bus, Railway & Marine Control Solutions



ENGINEERING YOUR SUCCESS.

# Truck & Bus

## SCR: Urea Heating 2/2 Way Valve, NC Type

### Use:

SCR (Selective Catalytic Reduction) for buses and trucks.

### Benefits:

- Solenoid valves and electrical components customised according to the technical specifications of transport industry customers
- Solutions adapted to international anti-pollution standards Euro4/Euro5/US10 for NOX reduction
- Compact solutions

### Product solutions:

- 2-way valve, brass material, integrated fittings, normally closed
- Pilot operated
- EPDM seal material
- Ambient temperature: - 40°C / + 120°C
- Various possible fluid connection types (Bump, SAE-J2044, 1/2" BSP)
- ISO 15170 electrical connection (IP69K)



## SCR: Air control - 3/2 Way Valve, NC Type

### Use:

SCR (Selective Catalytic Reduction) for buses and trucks, delivers a preset airflow to the urea doser.

### Benefits:

- Solenoid valves and electrical components customised according to the technical specifications of transport industry customers
- Solutions designed to comply with international anti-pollution standards Euro4/Euro5/US10 for NOX reduction
- Compact solutions

### Product solutions:

- Assembly: 3-way valve, normally closed
- Integrated pressure regulator, aluminium body
- Exhaust muffler
- Inlet pressure: 6...12.5 bar
- Regulated pressure: 4 bar +/- 0.6 bar
- Ambient temperature: - 40°C / + 80°C
- ISO 15170 electrical connection (IP69K)



## Cabin Heating/Engine Pre-Heating - 2/2 Way Valve, NC or NO Type

### Use:

Cabin heating and engine preheating for trucks.

### Benefits:

- Solenoid valves and electrical components customised according to the technical specification of transport industrial customers
- Large flow vs compact solutions
- Low electrical consumption (9 W)
- 0 bar drop pressure operating (direct operated valve)

### Product solutions:

- 2-way servo or direct operated valve, normally closed, normally open
- Various fluid connection sizes
- ISO 15170 electrical connection (IP 69K)





## After Treatment Hydrocarbon Injector

### Use:

Diesel Oxidation Catalyst (DOC) for trucks.

### Benefits:

- Customised dosing systems for transport industry customers
- Adapted solutions to international anti-pollution standards Euro5/US10 for PM (particle matter) reduction
- No moving parts, no electrical parts on the exhaust
- No coolant lines required

### Product solutions:

- 2-way solenoid valves (ON-OFF and PWM)
- Pressure transducer, air diesel electrical connection
- Nozzle



## EGR: Exhaust Gas Recirculation - 3-Way Valve NC Type

### Use:

EGR for trucks and bus.

### Benefits:

- Customised solutions for transport industry customers
- Take part in the NOX reduction, to meet Euro5, US10 standards
- Efficient solutions with proportional air flow control

### Product solutions:

- Long life cycle
- 3-way PWM valve, normally closed
- Pressure regulation: 0-10 bar
- Ambient temperature: -40°C / +120°C
- ISO 15170 electrical connection (IP 69K)



## Engine break - 2-Way Valve NC Type

### Use:


Additional braking solutions for trucks.

### Benefits:

- Very compact solution
- Easy installation hydraulic cartridge valve
- PVDF seal compatible with bio-fuel

### Product solutions:

- 2-way valve, normally closed
- Aluminium cartridge valve body
- Engine installation
- Low hydraulic pressure control: 0-5 bar



# Railway

## Tilting Application Pneumatic Control Unit

### Use:

Fitted system on Pendolino trains, used to center the wagons on the tracks when it enters a curve.

### Benefits:

- Complete system, easy to install and remove
- Long life cycle PWM valve
- Low consumption (6 W)
- Integrated exhaust valve for safety functioning
- No air consumption once the wagon position is set
- EMC (electromagnetic compatibility)
- Conformity with EN50155, EN 50121-3-2
- Operating in harsh environment

### Product solutions:

- EPP3 pressure regulator, 0-10 bar, 4-20 mA (other calibration available)
- Pressure sensor, filter, ball valve
- Female electrical connector, tubing
- Low operating temperature: -40°C



## Pantograph Application Electronic Pressure Regulator

### Use:


High speed trains to control the contact force between the pantograph and the catenary.

### Benefits:

- Better electrical transmission to the locomotive, reduced drawbacks (bursts of arcing)
- Increased life cycle of the pantograph carbon strips and catenary
- Reduces maintenance
- Long life cycle PWM valve
- EN50155/ EN50121-3-2 conformity, EMC
- Integrated exhaust valve for safety functioning

### Product solutions:

- EPP3 pressure regulator, 0-5 bar, 4-20 mA (other calibration available)
- Low operating temperature: -40°C





## Sanding Application 3/2-Way Valve NC, NO, Universal

### Use:

Solenoid valves controlling cylinder on sanding process.



### Benefits:

- Very compact valves
- Easy connected (flange version)
- Low consumption (3 W)
- Large operating voltage range (+or -30%)

### Product solutions:

- 3/2 way valves, 0-5 bar
- Ambient temperature : -30°C/+80°C

## Other applications

- Compressors (venting, purging)
- Airdryers,...

## Marine

### Fuel Selector Valves 2 Way Valve System, NC

### Use:

Typically fitted on yachts 30' - 70' in length, allows remote selection of desired fuel tank.

### Benefits:

- Eliminates the need to leave the helm to select fuel tanks
- No need to shut down the engine
- Can be manually operated in case of power loss
- Balance fuel levels, increasing stability of the boat

### Product solutions:

- 2 way valves, normally closed, on aluminium block
- Petrol tank: 2 solenoid valves
- Diesel tank: 4 solenoid valves
- Manual override
- Pressure relief valve (5 psi)
- KV factor: 1.93m³/h
- MOPD: 0.2 bar
- UL Marine listed (petrol selection)



## Intercooler Water Cooling 2/2 Way Valve, NO Type



### Use:

Solenoid valve fitted on diesel marine engines to avoid intercooler overheating.

### Benefits:

- Normally open function, provides cooling water in case of power loss, risk of intercooler damage/destruction
- Large flow vs compact valve
- Easy installation (bayonet connection, barb fittings)


### Product solutions:

- 2-way valve, NC, servo operated
- Ambient temperature: -40°C / +60°C
- ISO15170 electrical connection (IP 69K)
- Working pressure: 0.5 bar

## Other Applications

- Oil cut off valve:  
2 way magnalift valve, normally open
- Lubricating control valve:  
2 way direct acting valve, normally closed

## Fluid Control Transportation Product Range



### WARNING - USER RESPONSIBILITY

**FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE.**

- This document and other information from Parker-Hannifin Corporation, its subsidiaries and authorized distributors provide product or system options for further investigation by users having technical expertise.
- The user, through its own analysis and testing, is solely responsible for making the final selection of the system and components and assuring that all performance, endurance, maintenance, safety and warning requirements of the application are met. The user must analyze all aspects of the application, follow applicable industry standards, and follow the information concerning the product in the current product catalog and in any other materials provided from Parker or its subsidiaries or authorized distributors.
- To the extent that Parker or its subsidiaries or authorized distributors provide component or system options based upon data or specifications provided by the user, the user is responsible for determining that such data and specifications are suitable and sufficient for all applications and reasonably foreseeable uses of the components or systems.



# Parker's Motion & Control Technologies

At Parker, we're guided by a relentless drive to help our customers become more productive and achieve higher levels of profitability by engineering the best systems for their requirements. It means looking at customer applications from many angles to find new ways to create value. Whatever the motion and control technology need, Parker has the experience, breadth of product and global reach to consistently deliver. No company knows more about motion and control technology than Parker. For further info call 00800 27 27 5374.



## AEROSPACE

### Key Markets

- Aircraft engines
- Business & general aviation
- Commercial transports
- Land-based weapons systems
- Military aircraft
- Missiles & launch vehicles
- Regional transports
- Unmanned aerial vehicles

### Key Products

- Flight control systems & components
- Fluid conveyance systems
- Fluid metering delivery & atomization devices
- Fuel systems & components
- Hydraulic systems & components
- Inert nitrogen generating systems
- Pneumatic systems & components
- Wheels & brakes



## CLIMATE CONTROL

### Key Markets

- Agriculture
- Air conditioning
- Food, beverage & dairy
- Life sciences & medical
- Precision cooling
- Processing
- Transportation

### Key Products

- CO<sub>2</sub> controls
- Electronic controllers
- Filter driers
- Hand shut-off valves
- Hose & fittings
- Pressure regulating valves
- Refrigerant distributors
- Safety relief valves
- Solenoid valves
- Thermostatic expansion valves



## ELECTROMECHANICAL

### Key Markets

- Aerospace
- Factory automation
- Food & beverage
- Life science & medical
- Machine tools
- Packaging machinery
- Paper machinery
- Plastics machinery & converting
- Primary metals
- Semiconductor & electronics
- Textile
- Wire & cable

### Key Products

- AC/DC drives & systems
- Electric actuators
- Controllers
- Gantry robots
- Gearheads
- Human machine interfaces
- Industrial PCs
- Inverters
- Linear motors, slides and stages
- Precision stages
- Stepper motors
- Servo motors, drives & controls
- Structural extrusions



## FILTRATION

### Key Markets

- Food & beverage
- Industrial machinery
- Life sciences
- Marine
- Mobile equipment
- Oil & gas
- Power generation
- Process
- Transportation

### Key Products

- Analytical gas generators
- Compressed air & gas filters
- Condition monitoring
- Engine air, fuel & oil filtration & systems
- Hydraulic, lubrication & coolant filters
- Process, chemical, water & microfiltration filters
- Nitrogen, hydrogen & zero air generators



## FLUID & GAS HANDLING

### Key Markets

- Aerospace
- Agriculture
- Bulk chemical handling
- Construction machinery
- Food & beverage
- Fuel & gas delivery
- Industrial machinery
- Mobile
- Oil & gas
- Transportation
- Welding

### Key Products

- Brass fittings & valves
- Diagnostic equipment
- Fluid conveyance systems
- Industrial hose
- PTFE & PFA hose, tubing & plastic fittings
- Rubber & thermoplastic hose & couplings
- Tube fittings & adapters
- Quick disconnects



## HYDRAULICS

### Key Markets

- Aerospace
- Aerial lift
- Agriculture
- Construction machinery
- Forestry
- Industrial machinery
- Mining
- Oil & gas
- Power generation & energy
- Truck hydraulics

### Key Products

- Diagnostic equipment
- Hydraulic cylinders
- Hydraulic motors & pumps
- Hydraulic systems
- Hydraulic valves & controls
- Power take-offs
- Rubber & thermoplastic hose & couplings
- Tube fittings & adapters
- Quick disconnects



## PNEUMATICS

### Key Markets

- Aerospace
- Conveyor & material handling
- Factory automation
- Food & beverage
- Life science & medical
- Machine tools
- Packaging machinery
- Transportation & automotive

### Key Products

- Air preparation
- Compact cylinders
- Field bus valve systems
- Grippers
- Guided cylinders
- Manifolds
- Miniature fluidics
- Pneumatic accessories
- Pneumatic actuators & grippers
- Pneumatic valves and controls
- Rodless cylinders
- Rotary actuators
- Tie rod cylinders
- Vacuum generators, cups & sensors



## PROCESS CONTROL

### Key Markets

- Chemical & refining
- Food, beverage & dairy
- Medical & dental
- Microelectronics
- Oil & gas
- Power generation

### Key Products

- Analytical sample conditioning products & systems
- Fluoropolymer chemical delivery fittings, valves & pumps
- High purity gas delivery fittings, valves & regulators
- Instrumentation fittings, valves & regulators
- Medium pressure fittings & valves
- Process control manifolds



## SEALING & SHIELDING

### Key Markets

- Aerospace
- Chemical processing
- Consumer
- Energy, oil & gas
- Fluid power
- General industrial
- Information technology
- Life sciences
- Military
- Semiconductor
- Telecommunications
- Transportation

### Key Products

- Dynamic seals
- Elastomeric o-rings
- ENI shielding
- Extruded & precision-cut, fabricated elastomeric seals
- Homogeneous & inserted elastomeric shapes
- High temperature metal seals
- Metal & plastic retained composite seals
- Thermal management



ENGINEERING YOUR SUCCESS.



# Global experience truly local service

supplying the following industries.....

Aerospace  
Agriculture  
Automotive  
Beveridge  
Defence  
Engineering (C+M+E)  
Food  
General Industry  
Medical  
Pharma



Sales, Service Centre and Trade Counter facility in High Wycombe.



**We design, build and supply Electronic, Pneumatic, Hydraulic, Filtration, Controls and Systems.**



Wherever.....  
Wherever.....  
whatever....  
whatever....



**J&J Air Systems**



Customer Service: 0800 027 8442  
Telephone: 01494 530291  
International: +44 (0)1494 530291  
[sales@JJAirSystems.co.uk](mailto:sales@JJAirSystems.co.uk)  
[www.JJAirSystems.co.uk](http://www.JJAirSystems.co.uk)



J&J Air Systems, Sands Industrial Estate, High Wycombe, Bucks HP12 4HJ, United Kingdom.

©2019

